

THE FIRST PILE

A reprint of AEC Report TID-292, March 1955,
by Corbin Allardice and Edward R. Trapnell, with
additional photographs.

Argonne
NATIONAL LABORATORY
ARGONNE, ILLINOIS





REPRINTED BY ARGONNE NATIONAL LABORATORY
WITH MINOR REVISIONS AND ADDITIONS BY PERMISSION
OF THE U.S. ATOMIC ENERGY COMMISSION.

FEBRUARY, 1961
ARGONNE, ILLINOIS

Cover:

Sketch of the first nuclear reactor assembled under West Stands, Stagg Field, University of Chicago. On December 2nd, 1942, a group of scientists achieved the first self-sustaining chain reaction and thereby initiated the controlled release of nuclear energy.

Authors' Note

This story was written in the fall of 1946 because nowhere in the extensive records of the Plutonium Project was there a narrative history of the first self-sustaining nuclear chain reaction. Prepared for a press release by the Manhattan Engineer District, in other words for journalistic, not scientific purposes, the report includes background material which is properly a part of a report on a very important experiment.

It occurred to us that the story of the experiment which was successfully completed on December 2nd, 1942, was of such significance that it should be written down while still relatively fresh in the minds of those who took part. What we have written was constructed from the personal recollections of more than a dozen of the 42 scientists present in the Stagg Field squash court on December 2nd. Another valuable source of information was the tape on which was traced the neutron intensity within the first pile.

The appended list of those present was obtained from the label of a bottle in which Dr. E. P. Wigner had brought Chianti wine to toast the experiment's success. Most of those present had signed the wine-bottle's label and given it to Dr. A. Wattenberg as a memento. This was the only written record of who had taken part in the experiment. Each of the scientists listed on the bottle was asked if he recalled any others who might have been present, and the resulting list of 42 names was accepted as complete.


The two drawings of the first pile were executed by Melvin A. Miller of the Argonne National Laboratory staff in the fall of 1946. They are based on descriptions given Mr. Miller by the men who built the first "pile."

We wish to thank Drs. H. L. Anderson, A. H. Compton, E. Fermi, N. Hilberry, H. V. Lichtenberger, L. W. Marshall, R. G. Noble, W. J. Sturm, A. Wattenberg and W. H. Zinn for their assistance.

That what we have written is a worthwhile story of December 2nd. is due to them; the inaccuracies or omissions are ours.

Corbin Allardice
Edward R. Trapnell

November 17, 1949



West Stands at Stagg Field housed the first reactor.



THE FIRST PILE

On December 2, 1942, man first initiated a self-sustaining nuclear chain reaction, and controlled it.

Beneath the West Stands of Stagg Field, Chicago, late in the afternoon

of that day, a small group of scientists witnessed the advent of a new era in science. History was made in what had been a squash-rackets court.

Precisely at 3:25 p.m., Chicago time, scientist George Weil withdrew the cadmium-plated control rod and by his action man unleashed and controlled the energy of the atom.

As those who witnessed the experiment became aware of what had happened, smiles spread over their faces and a quiet ripple of applause could be heard. It was a tribute to Enrico Fermi, Nobel Prize winner, to whom, more than to any other person, the success of the experiment was due.


Fermi, born in Rome, Italy, on September 29, 1901, had been working with uranium for many years. In 1934 he bombarded uranium with neutrons and produced what appeared to be element 93 (uranium is element 92) and element 94. However, after closer examination it seemed as if nature had gone wild; several other elements were present, but none could be fitted into the periodic table near uranium - where Fermi knew they should have fitted if they had been the transuranic elements 93 and 94. It was not until five years later that anyone, Fermi included, realized he had actually caused fission of the uranium and that these unexplained elements belonged back in the middle part of the periodic table.

Fermi was awarded the Nobel Prize in 1938 for his work on transuranic elements. He and his family went to Sweden to receive the prize. The Italian Fascist press severely criticized him for not wearing a Fascist uniform and failing to give the Fascist salute when he received the award. The Fermis never returned to Italy.

From Sweden, having taken most of his personal

possessions with him, Fermi proceeded to London and thence to America where he has remained ever since.

The modern Italian explorer of the unknown was in Chicago that cold December day in 1942. An outsider looking into the squash court where Fermi was working would have been greeted by a strange sight. In the center of the 30 by 60 foot room, shrouded on all but one side by a gray balloon cloth envelope, was a pile of black bricks and wooden timbers, square at the bottom and a flattened sphere on top. Up to half of its height, its sides were straight. The top half was domed, like a beehive. During the construction of this crude appearing but complex pile (the name which has since been applied to all such devices) the standing joke among the scientists working on it was: "If people could see what we're doing with a million-and-a-half of their dollars, they'd think we are crazy. If they knew why we are doing it, they'd be sure we are."



THE FIRST NUCLEAR REACTOR

In relation to the fabulous atomic bomb program, of which the Chicago Pile experiment was a key part, the successful result reported on December 2nd formed one more piece for the jigsaw puzzle which was atomic energy. Confirmation of the chain reactor studies was an inspiration to the leaders of the bomb project, and reassuring at the same time, because the Army's Manhattan Engineer District had moved ahead on many fronts. Contract negotiations were

under way to build production-scale nuclear chain reactors, land had been acquired at Oak Ridge, Tennessee, and millions of dollars had been obligated.

Three years before the December 2nd experiment, it had been discovered that when an atom of uranium was bombarded by neutrons, the uranium atom sometimes was split, or fissioned. Later, it had been found that when an atom of uranium fissioned, additional neutrons were emitted and became available for further reaction with other uranium atoms. These facts implied the possibility of a chain reaction, similar in certain respects to the reaction which is the source of the sun's energy. The facts further indicated that if a sufficient quantity of uranium could be brought together under the proper conditions, a self-sustaining chain reaction would result. This quantity of uranium necessary for a chain reaction under given conditions is known as the critical mass, or more commonly, the "critical size" of the particular pile.

For three years the problem of a self-sustaining chain reaction had been assiduously studied. Nearly a year after Pearl Harbor, a pile of critical size was finally constructed. It worked. A self-sustaining nuclear chain reaction was a reality.


Years of scientific effort and study lay behind this demonstration of the first self-sustaining nuclear chain reaction. The story goes back at least to the fall of 1938 when two German scientists, Otto Hahn and Fritz Strassman, working at the Kaiser Wilhelm Institute in Berlin found barium in the residue material from an experiment in which they had bombarded uranium with neutrons from a radium-beryllium source. This discovery caused tremendous excitement in the laboratory because of the difference in atomic mass between the barium and the uranium. Previously, in residue material from similar experiments, elements other than uranium had been found, but they differed from the uranium by only one or two units of mass. The barium differed by approximately 98 units of mass. The question was, where did this element come from? It appeared that the uranium atom when bombarded by a neu-

tron had split into two different elements each of approximately half the mass of the uranium.

Before publishing their work in the German scientific journal *Die Naturwissenschaften*, Hahn and Strassman communicated with Lise Meitner who, having fled the Nazi controlled Reich, was working with Niels Bohr in Copenhagen, Denmark.

Meitner was very much interested in this phenomenon and immediately attempted to analyze mathematically the results of the experiment. She reasoned that the barium and the other residual elements were the result of a fission, or breaking, of the uranium atom. But when she added the atomic masses of the residual elements, she found this total was less than the atomic mass of uranium.

There was but one explanation: The uranium fissioned or split, forming two elements each of approximately half of its original mass, but not exactly half. Some of the mass of the uranium had disappeared. Meitner and her nephew O. R. Frisch suggested that the mass which disappeared was converted into energy. According to the theory advanced in 1905 by Albert Einstein in which the relationship of mass to energy was stated by the equation $E = mc^2$ (energy is equal to mass times the square of the speed of light), this energy release would be of the order of 200,000,000 electron volts for each atom fissioned.



CP-2. The original pile was disassembled early in 1943 and rebuilt with certain refinements and modifications in Argonne Forest Preserve near the present site of Argonne National Laboratory. It was redesignated CP-2 (Chicago Pile Number Two).

Einstein himself, nearly thirty-five years before, had said this theory might be proved by further study of radioactive elements. Bohr was planning a trip to America to discuss other problems with Einstein who had found a haven at Princeton's Institute for Advanced Studies. Bohr came to America, but the principal item he discussed with Einstein was the report of Meitner and Frisch. Bohr arrived at Princeton on January 16, 1939. He talked to Einstein and J. A. Wheeler who had once been his student. From Princeton the news spread by word of mouth to neighboring physicists, including Enrico Fermi at Columbia. Fermi and his associates immediately began work to find the heavy pulse of ionization which could be expected from the fission and consequent release of energy.

Before the experiments could be completed, however, Fermi left Columbia to attend a conference on theoretical physics at George Washington University in Washington, D. C. Here Fermi and Bohr exchanged information and discussed the problem of fission. Fermi mentioned the possibility that neutrons might be emitted in the process. In this conversation, their ideas of the possibility of a chain reaction began to crystallize.

Before the meeting was over, experimental confirmation of Meitner and Frisch's deduction was obtained from four laboratories in the United States (Carnegie Institution of Washington, Columbia, Johns Hopkins, and the University of California). Later it was learned that similar confirmatory experiments had been made by Frisch and Meitner on January 15th. Frederic Joliot-Curie in France, too, confirmed the results and published them in the January 30th issue of the French scientific journal, *Comptes rendus*.

On February 27, 1939, the Canadian born Walter H. Zinn and Leo Szilard, a Hungarian, both working at Columbia University, began their experiments to find the number of neutrons emitted by the fissioning uranium. At the same time, Fermi, and his associates, Herbert L. Anderson and H. B. Hanstein, commenced their investigation of the same problem. The results of these experiments were published side-by-side in the April edition of the *Physical Review* and

showed that a chain reaction might be possible since the uranium emitted additional neutrons when it fissioned.

These measurements of neutron emission by Fermi, Zinn, Szilard, Anderson, and Hanstein were highly significant steps toward a chain reaction.



DR. FERMI AND DR. ZINN

Further impetus to the work on a uranium reactor was given by the discovery of plutonium at the Radiation Laboratory, Berkeley, California, in March, 1940. This element, unknown in nature, was formed by uranium-238 capturing a neutron, and thence undergoing two successive changes in atomic structure with the emission of beta particles. Plutonium, it was believed, would undergo fission as did the rare isotope of uranium, U^{235} .

Meanwhile, at Columbia, Fermi and Zinn and their associates were working to determine operationally possible designs of a uranium chain reactor. Among other things, they had to find a suitable moderating material to slow down the neutrons traveling at relatively high velocities. In July, 1941, experiments with uranium were started to obtain measurements of the reproduction factor (called "k"), which was the key to the problem of a chain reaction. If this factor could be made sufficiently greater than 1, a chain reaction could be made to take place in a mass of material of practical dimensions. If it were less than 1, no chain reaction could occur.

Since impurities in the uranium and in the moderator would capture neutrons and make them unavailable for further reactions, and since neutrons would escape from the pile without encountering uranium-235 atoms, it was not known whether a value for "k" greater than unity could ever be obtained.

Fortunate it was, that the obtaining of a reproduction factor greater than 1 was a complex and difficult problem. If Hitler's scientists had discovered the secret of controlling the neutrons and had obtained a working value of "k," they would have been well on the way toward producing an atomic bomb for the Nazis.

One of the first things that had to be determined was how best to place the uranium in the reactor. Fermi and Szilard suggested placing the uranium in a matrix of the moderating material, thus forming a cubical lattice of uranium. This placement appeared to offer the best opportunity for a neutron to encounter a uranium atom. Of all the materials which possessed the proper moderating qualities, graphite was the only one which could be obtained in sufficient quantity of the desired degree of purity.

The study of graphite-uranium lattice reactors was started at Columbia in July, 1941, but after reorganization of the uranium project in December, 1941, Arthur H. Compton was placed in charge of this phase of the work, under the Office of Scientific Research and Development, and it was decided that the chain reactor program should be concentrated at the University of Chicago. Consequently, early in 1942 the Columbia and Princeton groups were transferred to Chicago where the Metallurgical Laboratory was established.

In a general way, the experimental nuclear physics group



DR. COMPTON

under Fermi was primarily concerned with getting a chain reaction going; the chemistry division organized by F. H. Spedding (later in turn under S. K. Allison, J. Franck, W. C. Johnson, and T. Hogness) with the chemistry of plutonium and with separation methods, and the theoretical group under E. P. Wigner with designing production piles. However, the problems were intertwined and the various scientific and technical aspects of the fission process were studied in whatever group seemed best equipped for the particular task.

At Chicago, the work on sub-critical size piles was continued. By July, 1942, the measurements obtained from these experimental piles had gone far enough to permit a choice of design for a test pile of critical size. At that time, the dies for the pressing of the uranium oxides were designed by Zinn and ordered made. It was a fateful step, since the entire construction of the pile depended upon the shape and size of the uranium pieces.

It was necessary to use uranium oxides because metallic uranium of the desired degree of purity did not exist. Although several manufacturers were attempting to produce the uranium metal, it was not until November that any appreciable amount was available. By mid-November, Westinghouse Electric and Manufacturing Company, Metal Hydrides Company, and F. H. Spedding, who was working at Iowa State College at Ames, Iowa, had delivered several tons of the highly purified metal which was placed in the pile, as close to the center as possible. The procurement program for moderating material and uranium oxides had been handled by Norman Hilberry. R. L. Doan headed the procurement program for pure uranium metal.

Although the dies for the pressing of the uranium oxides were designed in July, additional measurements were necessary to obtain information about controlling the reaction, to revise estimates as to the final critical size of the pile, and to develop other data. Thirty experimental sub-critical piles were constructed before the final pile was completed.

Meantime, in Washington, Vannevar Bush, Director

of the Office of Scientific Research and Development, had recommended to President Roosevelt that a special Army Engineer organization be established to take full responsibility for the development of the atomic bomb. During the summer, the Manhattan Engineer District was created, and in September, 1942, Major General L. R. Groves assumed command.


Construction of the main pile at Chicago started in November. The project gained momentum, with machining of the graphite blocks, pressing of the uranium oxide pellets, and the design of instruments. Fermi's two "construction" crews, one under Zinn and the other under Anderson, worked almost around the clock. V. C. Wilson headed up the instrument work.

Original estimates as to the critical size of the pile were pessimistic. As a further precaution, it was decided to enclose the pile in a balloon cloth bag which could be evacuated to remove the neutron-capturing air.


This balloon cloth bag was constructed by Goodyear Tire and Rubber Company. Specialists in designing gasbags for lighter-than-air craft, the company's engineers were a bit puzzled about the aerodynamics of a square balloon. Security regulations forbade informing Goodyear of the purpose of the envelope and so the Army's new square balloon was the butt of much joking.

The bag was hung with one side left open; in the center of the floor a circular layer of graphite bricks was placed. This and each succeeding layer of the pile was braced by a wooden frame. Alternate layers contained the uranium. By this layer-on-layer construction a roughly spherical pile of uranium and graphite was formed.

Facilities for the machining of graphite bricks were installed in the West Stands. Week after week this shop turned out graphite bricks. This work was done under the direction of Zinn's group, by skilled mechanics led by millwright August Knuth. In October, Anderson and his associates joined Zinn's men.



Scale model of CP-1 under the West Stands of Stagg Field at the University of Chicago. The display depicts the historic scene on December 2, 1942, when Fermi and associates achieved and controlled the first self-sustaining nuclear chain reaction.




Closeup of scale model of CP-1. A section of the pile is cut away to reveal certain details of construction.

Describing this phase of the work, Albert Wattenberg, one of Zinn's group said: "We found out how coal miners feel. After eight hours of machining graphite, we looked as if we were made up for a minstrel. One shower would remove only the surface graphite dust. About a half-hour after the first shower the dust in the pores of your skin would start oozing. Walking around the room where we cut the graphite was like walking on a dance floor. Graphite is a dry lubricant, you know, and the cement floor covered with graphite dust was slippery."

Before the structure was half complete, measurements indicated that the critical size at which the pile would become self-sustaining was somewhat less than had been anticipated in the design.

Day after day the pile grew toward its final shape. And as the size of the pile increased, so did the nervous tension of the men working on it. Logically and scientifically they knew this pile would become self-sustaining. It had to. All the measurements indicated that it would. But still the demonstration had to be made. As the eagerly awaited moment drew nearer, the scientists gave greater and greater attention to details, the accuracy of measurements, and exactness of their construction work.

Guiding the entire pile construction and design was the nimble-brained Fermi, whose associates described him as "completely self-confident but wholly without conceit."



The only photograph of CP-1 known to exist. Taken during addition of 19th layer of graphite. Alternate layers of graphite, containing uranium metal and/or uranium oxide, were separated by layers of solid graphite blocks. Layer 18, almost covered, contained uranium oxide.

So exact were Fermi's calculations, based on the measurements taken from the partially finished pile, that days before its completion and demonstration on December 2nd, he was able to predict almost to the exact brick the point at which the reactor would become self-sustaining.

But with all their care and confidence, few in the group knew the extent of the heavy bets being placed on their success. In Washington, the Manhattan District had proceeded with negotiations with E. I. duPont de Nemours and Company to design, build, and operate a plant based on the principles of the then unproved Chicago pile. The \$350,000,000 Hanford Engineer Works at Pasco, Washington, was to be the result.

At Chicago during the early afternoon of December 1st, tests indicated that critical size was rapidly being approached. At 4:00 p.m. Zinn's group was relieved by the men working under Anderson. Shortly afterwards, the last layer of graphite and uranium bricks was placed on the pile. Zinn, who remained, and Anderson made several measurements of the activity within the pile. They were certain that when the control rods were withdrawn, the pile would become self-sustaining. Both had agreed, however, that should measurements indicate the reaction would become self-sustaining when the rods were withdrawn, they would not start the pile operating until Fermi and the rest of the group could be present. Consequently, the control rods were locked and further work was postponed until the following day.

That night the word was passed to the men who had worked on the pile that the trial run was due the next morning.

About 8:30 on the morning of Wednesday, December 2nd, the group began to assemble in the squash court.

At the north end of the squash court was a balcony about ten feet above the floor of the court. Fermi, Zinn, Anderson, and Compton were grouped around instruments at the east end of the balcony. The remainder of the observers crowded the little balcony. R. G. Nobles, one of

the young scientists who worked on the pile, put it this way: "The control cabinet was surrounded by the 'big wheels'; the 'little wheels' had to stand back."

On the floor of the squash court, just beneath the balcony, stood George Weil, whose duty it was to handle the final control rod. In the pile were three sets of control rods. One set was automatic and could be controlled from the balcony. Another was an emergency safety rod. Attached to one end of this rod was a rope running through the pile and weighted heavily on the opposite end. The rod was withdrawn from the pile and tied by another rope to the balcony. Hilberry was ready to cut this rope with an axe should something unexpected happen, or in case the automatic safety rods failed. The third rod, operated by Weil, was the one which actually held the reaction in check until withdrawn the proper distance.

Since this demonstration was new and different from anything ever done before, complete reliance was not placed on mechanically operated control rods. Therefore, a "liquid-control squad," composed of Harold Lichtenberger, W. Nyer, and A. C. Graves, stood on a platform above the pile. They were prepared to flood the pile with cadmium-salt solution in case of mechanical failure of the control rods.

Each group rehearsed its part of the experiment.

At 9:45 Fermi ordered the electrically operated control rods withdrawn. The man at the controls threw the switch to withdraw them. A small motor whined. All eyes watched the lights which indicated the rods' position.

But quickly, the balcony group turned to watch the counters, whose clicking stepped up after the rods were out. The indicators of these counters resembled the face of a clock, with "hands" to indicate neutron count. Nearby was a recorder, whose quivering pen traced the neutron activity within the pile.

Shortly after ten o'clock, Fermi ordered the emergency rod, called "Zip," pulled out and tied.

Some of the Argonne men who participated in the CP-1 experiment. Left to right: Herbert Kubitschek, Robert Nobles, Walter Zinn, Norman Hilberry and Tom Brill.



"Zip out," said Fermi. Zinn withdrew "Zip" by hand and tied it to the balcony rail. Weil stood ready by the "vernier" control rod which was marked to show the number of feet and inches which remained within the pile.

At 10:37 Fermi, without taking his eyes off the instruments, said quietly:

"Pull it to 13 feet, George." The counters clicked faster. The graph pen moved up. All the instruments were studied, and computations were made.


"This is not it," said Fermi. "The trace will go to this point and level off." He indicated a spot on the graph. In a few minutes the pen came to the indicated point and did not go above that point. Seven minutes later Fermi ordered the rod out another foot.

Again the counters stepped up their clicking, the graph pen edged upwards. But the clicking was irregular. Soon it leveled off, as did the thin line of the pen. The pile was not self-sustaining - yet.

At eleven o'clock, the rod came out another six inches; the result was the same: an increase in rate, followed by the leveling off.

Fifteen minutes later, the rod was further withdrawn and at 11:25 was moved again. Each time the counters speeded up, the pen climbed a few points. Fermi predicted correctly every movement of the indicators. He knew the

DECEMBER 2, 1942. START-UP
OF
FIRST SELF-SUSTAINING CHAIN REACTION
INTENSITY IN THE PILE AS RECORDED BY A GALVANOMETER
NEUTRON



Photocopy of the actual instrument chart used during CP-1 start-up. This chart is frequently referred to as the "birth certificate" of the atomic age.

time was near. He wanted to check everything again. The automatic control rod was reinserted without waiting for its automatic feature to operate. The graph line took a drop, the counters slowed abruptly.

At 11:35, the automatic safety rod was withdrawn and set. The control rod was adjusted and "Zip" was withdrawn. Up went the counters, clicking, clicking, faster and faster. It was the clickety-click of a fast train over the rails. The graph pen started to climb. Tensely, the little group watched, and waited, entranced by the climbing needle.

Whrrrump! As if by a thunder clap, the spell was broken. Every man froze - then breathed a sigh of relief when he realized the automatic rod had slammed home. The safety point at which the rod operated automatically had been set too low.

"I'm hungry," said Fermi. "Let's go to lunch."

Perhaps, like a great coach, Fermi knew when his men needed a "break."

It was a strange "between halves" respite. They got no pep talk. They talked about everything else but the "game." The redoubtable Fermi, who never says much, had even less to say. But he appeared supremely confident. His "team" was back on the squash court at 2:00 p.m. Twenty minutes later, the automatic rod was reset and Weil stood ready at the control rod.

"All right, George," called Fermi, and Weil moved the rod to a predetermined point. The spectators resumed their watching and waiting, watching the counters spin, watching the graph, waiting for the settling down and computing the rate of rise of reaction from the indicators.

At 2:50 the control rod came out another foot. The counters nearly jammed, the pen headed off the graph paper. But this was not it. Counting ratios and the graph scale had to be changed.

"Move it six inches," said Fermi at 3:20. Again the change - but again the leveling off. Five minutes later, Fermi called: "Pull it out another foot."

Weil withdrew the rod.

"This is going to do it," Fermi said to Compton, standing at his side. "Now it will become self-sustaining. The trace will climb and continue to climb. It will not level off."

Fermi computed the rate of rise of the neutron counts over a minute period. He silently, grim-faced, ran through some calculations on his slide rule.

In about a minute he again computed the rate of rise. If the rate was constant and remained so, he would know the reaction was self-sustaining. His fingers operated the slide rule with lightning speed. Characteristically, he turned the rule over and jotted down some figures on its ivory back.

Three minutes later he again computed the rate of rise in neutron count. The group on the balcony had by now crowded in to get an eye on the instruments, those behind craning their necks to be sure they would know the very instant history was made. In the background could be heard William Overbeck calling out the neutron count over an annunciator system. Leona Marshall (the only girl present), Anderson, and William Sturm were recording the readings from the instruments. By this time the click of the counters was too fast for the human ear. The clickety-click was now a steady brrrrr. Fermi, unmoved, unruffled, continued his computations.


"I couldn't see the instruments," said Weil. "I had to watch Fermi every second, waiting for orders. His face was motionless. His eyes darted from one dial to another. His expression was so calm it was hard. But suddenly, his whole face broke into a broad smile."

Fermi closed his slide rule -

"The reaction is self-sustaining," he announced quietly, happily. "The curve is exponential."

The group tensely watched for twenty-eight minutes while the world's first nuclear chain reactor operated.

The upward movement of the pen was leaving a straight line. There was no change to indicate a leveling off. This was it.



Cutaway view of CP-2

"O.K., 'Zip' in," called Fermi to Zinn who controlled that rod. The time was 3:53 p.m. Abruptly, the counters slowed down, the pen slid down across the paper. It was all over.

Man had initiated a self-sustaining nuclear reaction - and then stopped it. He had released the energy of the atom's nucleus and controlled that energy.

Right after Fermi ordered the reaction stopped, the Hungarian-born theoretical physicist Eugene Wigner presented him with a bottle of Chianti wine. All through the experiment Wigner had kept this wine hidden behind his back.

Fermi uncorked the wine bottle and sent out for paper cups so all could drink. He poured a little wine in all the cups, and silently, solemnly, without toasts, the scientists raised the cups to their lips - the Canadian Zinn, the Hungarians Szilard and Wigner, the Italian Fermi, the Americans Compton, Anderson, Hilberry, and a score of others. They drank to success - and to the hope they were the first to succeed.

A small crew was left to straighten up, lock controls, and check all apparatus. As the group filed from the West Stands, one of the guards asked Zinn:


"What's going on, Doctor, something happen in there?"

The guard did not hear the message which Arthur Compton was giving James B. Conant at Harvard, by long-distance telephone. Their code was not prearranged.

"The Italian navigator has landed in the New World," said Compton.

"How were the natives?" asked Conant.

"Very friendly."



**List of those present at
"CHICAGO PILE" EXPERIMENT
December 2, 1942**

H. M. Agnew	Mrs. L. Woods Marshall
S. K. Allison	G. Miller
H. L. Anderson	G. Monk, Jr.
W. Arnold	R. G. Nobles
H. M. Barton	W. E. Nyer
T. Brill	W. P. Overbeck
R. F. Christy	H. J. Parsons
A. H. Compton	G. S. Pawlicki
E. Fermi	L. Sayvetz
R. J. Fox	L. Seren
S. A. Fox	L. A. Slotin
D. K. Froman	F. H. Spedding
A. C. Graves	W. J. Sturm
C. H. Greenewalt	L. Szilard
N. Hilberry	A. Wattenberg
D. L. Hill	R. J. Watts
W. H. Hinch	G. L. Weil
W. R. Kanne	E. P. Wigner
P. G. Koontz	M. Wilkening
H. E. Kubitschek	V. C. Wilson
H. V. Lichtenberger	W. H. Zinn

